



PREMIUM
Cluid[®]
PCD, ROUTER & CIRCULAR

Marshal Tools Industries

WOOD -METAL - STONE - ACRYLIC - PVC - RUBBER

GENIUS TOOLS
FOR GENIUS WORK





6mm & 6.35mm(1/4") Shank
Router bits for trimmer Router machine

CORNER ROUND BITS - MS1




Code No	D	B	R	Shank	Price
MS - 1	14	2.5	2.5	6	185
MS - 1Y	14	2.5	2.5	6.35	185
MS - 2	15.5	3	3	6	200
MS - 2Y	15.5	3	3	6.35	200
MS - 3	26	6.5	6.5	6	313
MS - 3Y	26	6.5	6.5	6.35	313
MS - 3A	29	8	8	6	365
MS - AY	29	8	8	6.35	365
MS - 3B	37	12	12	6	448
MS - 3BY	37	12	12	6.35	448

(High Performance) (GOLD)




Code No	Radius	Shank(mm)	Price
ET -101	2R	6	462
ET -102	2R	6.35	462
ET -103	2R	8	462
ET -104	2R	12	462
ET -105	3R	6	462
ET -106	3R	6.35	462
ET -107	3R	8	462
ET -108	3R	12	462

TRIMMER ROUTER BITS-MS4




Code No	D	H	Shank	Price
MS - 4	6.35	20	6	225
MS - 4Y	6.35	20	6.35	225
MS - 5	9.5	25	6	225
MS - 5Y	9.5	25	6.35	225
MS - 6	13	25	6	225
MS - 6Y	13	25	6.35	225

(High Performance) (GOLD)



Code No	Bearing	Shank(mm)	Price
MS-4	6.35mm	6mm	462
MS-4Y	6.35mm	6.35mm	462
MS-5	9.5mm	6mm	462
MS-5Y	9.5mm	6.35mm	462
MS-6	13mm	6mm	462
MS-6Y	13mm	6.35mm	462

CHAMFER BITS-MS8




Code No	D	B	A	Shank	Price
MS - 8	24.25	7.92	45	6	231
MS - 8Y	24.25	7.92	45	6.35	231

STRAIGHT BITS - MS10




Code No	D	H	Shank	Price
MS - 10A	4	13	6	93
MS - 10Ay	4	13	6.35	93
MS - 10	6	20	6	139
MS - 10Y	6	20	6.35	139
MS - 11	8	20	6	154
MS - 11Y	8	20	6.35	154
MS - 11A	10	20	6	162
MS - 11AY	10	20	6.35	162
MS - 12	12	20	6	170
MS - 12Y	12	20	6.35	170

ROUND NOSE BITS - MS19



Code No	D	H	R	Shank	Price
MS - 19	6	8	3	6	140
MS - 19y	6	8	3	6.35	140
MS - 20	8	10	4	6	140
MS - 20Y	8	10	4	6.35	140
MS - 21	10	10	5	6	160
MS - 21Y	10	10	5	6.35	160
MS - 22	12	11	6	6	185
MS - 22Y	12	11	6	6.35	185
MS - 23	15	12	7.5	6	200
MS - 23Y	15	12	7.5	6.35	200


"V" Groove Bits - MS 24



Code No	D	H	2A	Shank(mm)	Price
MS - 24	8	8	90	6	139
MS - 24Y	8	8	90	6.35	139
MS - 25	10	10	90	6	154
MS - 25Y	10	10	90	6.35	154
MS - 26	12	12	90	6	170
MS - 26Y	12	12	90	6.35	170
MS - 27	15	15	90	6	185
MS - 27Y	15	15	90	6.35	185

Reabating Bits - MS 29

4 TIPS



Code No	D	B	H	Shank	Price
MS - 29	35	13	4	6	399
MS - 29Y	35	13	4	6.35	399
MS - 30	35	13	6	6	439
MS - 30Y	35	13	6	6.35	439
MS - 31	35	13	8	6	480
MS - 31Y	35	13	8	6.35	480
MS - 32	35	13	10	6	600
MS - 32Y	35	13	10	6.35	600
MS - 33	35	13	12	6	659
MS - 33Y	35	13	12	6.35	659

Handle Less Door Router



Code No	D	W	Shank	Price
H -12	24	12	6.35	385
H-14	24	14	6.35	385
H-12A	30	12	6.35/8	462
H-14A	30	14	6.35/8	462

Pop Cutting Bit




Code No	D	W	Shank	Price
MS-15AY	15	12	6.35	247
MS-17AY	17	12	6.35	247
MS-19AY	19	12	6.35	247
MS-25AY	25	12	6.35	277

Bearing for all Router Bits



Code No	D	Shank	Price
BA - 01	9	5	0
BA - 02	11	5	0
BA - 03	13	5	0
BA - 04	16	5	0
BA - 05	6.35	3.1	31
BA - 06	9.5	4.7	31
BA - 07	12.7	4.7	31
BA - 08	7	3	0
BA - 09	13	6	0
BA - 10	16	8	0
BA - 11	19	8	0

Collets



Code No	Price
K - 6mm	16
K - 6.35mm	16
K - 8MM	16
TRIMMER NUT	25

Hole Saw Boring Bits - 931



Code No	Dia (mm)	Max. Depth (mm)	Shank (mm)	Price
931	35	28	12	1616
931 - A	38	28	12	1662
932	40	28	12	1693
933	45	28	12	1770
934	50	28	12	1847
935	55	28	12	2001
936	60	28	12	2078
936 - A	62	28	12	2155
937	63.5	28	12	2155
937 - A	65	28	12	2232
938	70	28	12	2462
939	75	28	12	2539

Code No	Dia (mm)	Max. Depth (mm)	Shank (mm)	Price
940	80	28	12	2616
941	85	28	12	2847
942	90	28	12	3001
943	95	28	12	3155
944	100	28	12	3386
945	125	28	12	8234
946	150	28	16	10465
947	175	28	16	13851
948	200	28	16	16160
949	225	28	16	18776
950	250	28	16	21007

Hole Saw Boring Bits for Aluminum

Code No	Dia (mm)	Max. Depth (mm)	Shank (mm)	Price
931-ALU	35	20	12	2462



Hinge Boring Bits - 901



Code No	Dia (mm)	Shank (mm)	Shank length (mm)	Price
901	15	10	55	423
902	19	10	55	516
903	20	10	55	539
904	22	10	55	554
905	25	10	55	623
906	28	10	55	708
907	30	10	55	754
908	32	10	55	800
909	34	10	55	862
910	35	10	55	923
911	36	10	55	923
912	38	10	55	954
913	40	10	55	970
914	42	10	55	1108
915	45	10	55	1154


Code No	Dia (mm)	Shank (mm)	Shank length (mm)	Price
916	48	10	55	1170
917	50	10	55	1216
918	52	10	55	1300
919	55	10	55	1370
920	58	10	55	1431
921	60	10	55	1493
922	63.5	10	55	1616
923	65	12	55	1847
924	70	12	55	2001
925	75	12	55	2155
926	80	12	55	2616
927	85	12	55	2924
928	90	12	55	3232
929	95	12	55	3540
930	100	12	55	3848

Handle Less Door Router ("J" Profile)




CUTTER
Also Available

Code No	Tool (height)	Dia (mm)	Shank (mm)	Price
HLD-1	18	50	8	1847
HLD-2	18	50	12	1847
HLD-3	15	15	6.35	1539

Straight Bits Tips Joint - MJ
Drilling & Slotting


Code No	D	H	Shank (mm)	Price
MJ - 1	6	20	6	*
MJ - 1J	6	20	6.35	185
MJ - 2	6	31	8	*
MJ - 2J	6	31	12	*
MJ - 3	6	38	8	*
MJ - 3J	6	38	12	*
MJ - 4	8	20	6	*
MJ - 4J	8	25	6.35	200
MJ - 5	8	32	8	*
MJ - 5J	8	32	12	*
MJ - 6	8	38	8	*
MJ - 6J	8	38	12	*
MJ - 7	8	50	8	*
MJ - 7J	8	50	12	*
MJ - 8	10	25	6	*
MJ - 8J	10	25	6.35	208
MJ - 9	10	32	8	*
MJ - 9J	10	32	12	*
MJ - 10	10	40	8	*
MJ - 10J	10	40	12	*
MJ - 11	10	50	8	*
MJ - 11J	10	50	12	*
MJ - 12	12	25	6	*
MJ - 12J	12	25	6.35	216
MJ - 13	12	30	8	*
MJ - 13J	12	30	12	*
MJ - 14	12	40	8	*
MJ - 14J	12	40	12	*
MJ - 15	12	50	8	*
MJ - 15J	12	50	12	*
MJ - 16	15	25	8	*
MJ - 16J	15	25	12	*
MJ - 17	19	30	8	*
MJ - 17J	19	30	12	*

Straight Bits - O


Code No	D	H	Shank (mm)	Price
O - 1	4	15	8	*
O - 2	6	20	12	*
O - 3	8	20	8	*
O - 4	10	25	12	*
O - 5	12	25	8	*
O - 6	15	25	12	*
O - 6 J	15	25	8	*
O - 7	19	20	12	*
O - 7 J	19	20	8	*
O - 8	25	20	12	*
O - 8 J	25	20	8	*
O - 11	32	30	12	*
O - 11 J	32	30	8	*
O - 12	6	32	12	*
O - 13	6	38	8	*
O - 14	8	32	12	*
O - 15	8	38	8	*
O - 15 J	8	38	12	*
O - 16	8	50	8	*
O - 16 J	8	50	12	*
O - 17	10	32	8	*
O - 17 J	10	32	12	*
O - 9	10	38	8	*
O - 9 J	10	38	12	*
O - 19	10	50	8	*
O - 19 J	10	50	12	*
O - 20	12	32	8	*
O - 20 J	12	32	12	*
O - 21	12	38	8	*
O - 21 J	12	38	12	*
O - 10	12	50	8	*
O - 10 J	12	50	12	*

Finger Joint Cutter - FJ

STANDARD QUALITY
12pcs. = 1Set

Standard Finger Joint Cutter PER PCS RATE

Code No	Thick(mm)	Cutting length	Dia(mm)	Bore(mm)	Teeth	1 PCS Price
FJ - 1	5	15	125	31.75	4T	*
FJ - 2	7	22	125	31.75	4T	1284
FJ - 3	10	25	125	31.75	4T	*

Door Lock Bits


Code No	2T	4T
MTD - 17*10	385	462
MTD - 17*12	385	462
MTD - 19*10	385	462
MTD - 19*12	385	462
MTD - 22*10	385	462
MTD - 22*12	385	462

Use for Carving - MTST (Steel Shank)



Use For : Through Cutting
on ACP Sheet, Acrylic,
Partical board, MDF ,
All type of letter cutting



Code	Dia	Flute. Length	Total Length	Shank Dia.	Teet h	Price
MT – ST -2 -8	2	8	52	6/6.35/8/12	2	231
MT – ST -3 -12	3	12	55	6/6.35/8/12	2	231
MT – ST -3 -15	3	15	58	8	2	*
MT – ST -4 -12	4	12	55	6/8	2	*
MT – ST -4 -16	4	16	58	6/6.35/8/12	2	308
MT – ST -4 -20	4	20	72	6/8	2	*
MT – ST -4 -25	4	25	72	6/8	2	*
MT – ST -5 -20	5	20	72	8	2	*
MT – ST -5 -25	5	25	78	8	2	*
MT – ST -6 -20	6	20	72	8/12	2	*
MT – ST -6 -25	6	25	78	12	2	*
MT – ST -8 -20	8	20	72	12	2	*
MT – ST -8 -28	8	28	80	12	2	*
GOLD MT – ST-4	4	15	58	6	2	416
GOLD MT – ST-4	4	15	58	8	2	416
GOLD MT – ST-4	4	20	72	8	2	508

Laminate Cutting Hand Cutter



Application : Laminate Sheet
Advantage : Convenient, effective, safe etc.

Length	Price
Laminate Hand Cutter (HEAVY)	77

T.C.T. Brazed Knife Set - 976 (For Elec. Planner M/C)



Machine : Electric Planner machine
Application : Solid Wood
Advantage : Convenient, effective, safe etc.

Code No.	Length	Width	Thic k	Use in	Price
976	82	30	3	Hitachi – F20A m/c	385
976-A	82	30	3	Makita – 1900B m/c	385
976-AA	82	30	3	Hitachi & Makita	385

TCT Flat Wood Drill Bits

NEW
PRODUCT



Code No	DIA(mm)	Price
FWD-6	6	*
FWD-8	8	*
FWD-10	10	*
FWD-11	11	*
FWD-12	12	*
FWD-13	13	*
FWD-14	14	*
FWD-16	16	*
FWD-18	18	*
FWD-19	19	*
FWD-20	20	*
FWD-22	22	*
FWD-25	25	*
FWD-32	32	*
FWD-38	38	*

"V" Groove Cutter - 1221

(Dia - 4")



STEEL FLAT BLANK
WITH 100% CNC WORK

Code No	Dia (mm)	Bore (mm)	Thick (mm)	Teeth	Price
E - 1221	100	20	4	6	385
E - 1225	100	20	6	6	405
E - 1229	100	20	8	6	405
E - 1233	100	20	10	6	450
E - 1237	100	20	12	6	450

★★★★★
VALUABLE
Premium
QUALITY

"V" Groove Cutter - 1221-3in (Dia -3")

★★★★★
VALUABLE
Premium
QUALITY



Use For CM 4 Machine

Code No	Dia (mm)	Bore (mm)	Thick (mm)	Teeth	Price
1221 -31N	75	20	4	6	385
1225 -31N	75	20	6	6	405
1229 -31N	75	20	8	6	405
1233 -31N	75	20	10	6	450
1237 -31N	75	20	12	6	450

Grooving Cutter - M601C

(Use for CM4 Mc.)

STEEL FLAT BLANK
WITH 100% CNC WORK



Spring Steel Body

Use For CM 4 Machine

Code No	Dia (mm)	Bore (mm)	Thick (mm)	Teeth	Price
M 601	100	20	3	6	450
M 602	100	20	4	6	450
M 603	100	20	5	6	450
M 604	100	20	6	6	450
M 605	100	20	8	6	517
M 606	100	20	9	6	562
M 607	100	20	10	6	562
M 608	100	20	12	6	562

"U" Groove Cutter - 1221-R

(Use for Cm4 Machine)

★★★★★
VALUABLE
Premium
QUALITY



Sample




Code No	Dia (mm)	Bore (mm)	Thick (mm)	Teeth	Price
1221 - R	100	20	4	6	462
1225 - R	100	20	6	6	616
1229 - R	100	20	8	6	616
1233 - R	100	20	10	6	924
1237 - R	100	20	12	6	924

"V" Groove 90° (Pointed)



Sample



Code No	Dia (mm)	Bore (mm)	Thick (mm)	Teeth	Price
V-1249	100	20	4	6	385
V-1250	100	20	6	6	405
V-1251	100	20	8	6	405
V-1252	100	20	10	6	450
V-1253	100	20	12	6	450

Molem Cutter - M1260 (Use for Cm4 Machine)



Code No	Dia (mm)	Bore (mm)	Thick (mm)	Teeth	Price
M-1260	100	20	8	3	1047
M-1261	100	20	10	3	1216
M-1262	100	20	12	3	1400


Beading Cutter - BC (Use for Cm4 Machine)



For Planning

Code No	Dia (mm)	Bore (mm)	Thick (mm)	Hole	Price
BC - 1	60	2	25	20	462
BC - 1A	60	2	32	20	*
BC - 3	60	3	25	20	539
BC - 4	60	3	32	20	*

T.C.T Hand Planner Knife - 969



T.C.T Hand Planner Knife - PRO-969



★★★★★
**VALUABLE
Premium
QUALITY**

Code No	Width	Thickness	All over Length	Price
969 -P	1" (plain)	2mm	130	177
969A - P	1 ¼ " (Plain)	2mm	130	200
970 -P	1 ½ " (Plain)	2mm	130	225
970-H	1 ½ " (slot)	2mm	130	225
971-P	1 ¾ " (Plain)	2mm	140	237
971-H	1 ¾ " (Slot)	2mm	140	237
972-P	2 " (Plain)	2mm	140	250
972-H	2 " (Slot)	2mm	140	250
973-P	2 ½ " (Plain)	2mm	150	371
973-H	2 ½ " (Slot)	2mm	150	371
974-P	35mm (Plain)	2mm	90	225
975-P	42mm (Plain)	2mm	120	237

Code No	Width	Thickness	All over Length	Price
Pro -969 -P	1" (plain)	2mm	130	216
Pro 969A - P	1 ¼ " (Plain)	2mm	130	245
Pro 970 -P	1 ½ " (Plain)	2mm	130	245
Pro 970-H	1 ½ " (slot)	2mm	130	245
Pro 971-P	1 ¾ " (Plain)	2mm	140	276
Pro 971-H	1 ¾ " (Slot)	2mm	140	276
Pro 972-P	2 " (Plain)	2mm	140	296
Pro 972-H	2 " (Slot)	2mm	140	296
Pro 973-P	2 ½ " (Plain)	2mm	150	400
Pro 973-H	2 ½ " (Slot)	2mm	150	400
Pro 974-P	35mm (Plain)	2mm	90	245
Pro 975-P	42mm (Plain)	2mm	120	276

**HIGH GRADE
CARBIDE TIPS
HIGH QUALITY**

MIN. 10PCS BOX




Diamond Sharpening Stone




Code No	Width	Length	Price
DS - 101	2"	6"	154

11A2 : Taper Cup Diamond In Rim (TR)



Code No	D	W	X	Price
D-801	150(6")	10	3	939
D-802	150(6")	19	3	1239
D-801C	125(5")	10	3	911
D-801A	100(4")	6	3	890
D-801B	100(4")	10	3	705
UMICUP	150(6")	6	3	2769

Plain Dish Diamond In RIM (SR)




Code No	D	W	X	Price
D-813	125(5")	6	2	923
D-814	125(5")	6	3	1000
D-815	125(5")	10	3	762
D-816	150(6")	19	3	*
D-814AA	150(6")	10	3	939
D-814-A	150(6")	6	3	762
U-ME-DISH	150(6")	6	2	2308

1A1 : Straight Diamond (L)



Code No	D	W	X	Price
D-803A	125(5")	10	3	1370
D-805AA	125(5")	12	3	1515
D-806	150(6")	10	3	1008
D-806A	150(6")	12	3	1093

1FF1 : Radius Wheel (RL)



Code No	D	W	X	Price
D-808	5"	6	3	1846
D-809	5"	8	3	2000
D-810	5"	10	3	2308
D-811	6"	12	3	2769

Degree Wheel



Code No	D	W	X	Price
D-817	125(5")	6	3	1846
D-818	125(5")	8	3	2000
D-818A	125(5")	10	3	2308
D-819	125(5")	12	3	2769

Special Thin Grinding Wheel



Code No	D	W	X	Price
D-830	125(5")	1.5	6	2308 (STD)
D-831	125(5")	1.5	6	762 (ECO)
D-832	150(6")	1.5	6	762
D-833	150(6")	2	6	2769
D-834	150(6")	2	6	2308

Hand Grinding Dish Wheel



Code No	D	T	X	Price
D-835	100(4"0)	6	2	624

HOLE : 20MM
USED FOR
ANGLE GRINDER
& CM4 MACHINE



Marshal Tools Industries

WOOD - METAL - STONE - ACRYLIC - PVC - RUBBER

PREMIUM
Cluid
PCD, ROUTER & CIRCULAR

GENIUS TOOLS
FOR GENIUS WORK

60, Tejendra Estate Opp. C.M.C Mill's Soni's Chwal, Odhav Road, Ahmedabad-382415

Email : dipak.marshall@gmail.com Web : www.marshalltools.com

(O) +91 79 22871072 Mo. : +91 9825369496 , 97250 00256, 816-0990330,